## Profile Systems, Inc



DSCP Briefing
Federal Data Synchronization Group
July 30, 2003

#### **Presentation Overview**

- Introduction to Profile
- What we are doing in Healthcare
  - HCEC
  - Healthcare PDU
  - DoD
- System capabilities
- Summary

#### **Profile Systems**

#### Inc.

- Software & Services company in West Springfield, MA
- Providing supply chain and data management solutions since 1994.
  - Data Synchronization Consulting
  - Content Management (MasterDepot®)
  - Automated Inventory Replenishment (ProSAIM®)
- Experienced in Industry data synchronization initiatives (Automotive, Consumer Packaging, Electrical, Healthcare)

#### **Health Care**

- Chosen technical partner for the HCEC Data Synchronization Pilot
- Supporting HCEC / CHeS PDU initiative
  - Contributing Architect of PICS data standard
  - Task force member on "Lessons learned from other industries"
- Ongoing data synchronization and value analyses with DoD files
  - DSCP
  - Army













Honeywell













Proctere Gamble

















CLEVITE ENGINE PARTS

LAMSON & SESSIONS

# Industries Helped by Profile Systems



**Consumer Packaging** 




**Electrical Supplies** 



**Automotive Aftermarket** 

#### **ECC Net - Canada**

#### Enabled over 850 accounts in 16 months



# Key Elements of Rapid Ramp

- 1. A user-friendly front end making it easy for suppliers of all sizes to submit valid data
- 2. A sufficient number of data fields and functionality in a central repository to justify participation
- 3. Export capabilities on the back end to easily handle multiple exports from this single source
- 4. Ease of updating


#### **Profile Capabilities**

## Ramp = MasterDepot®

#### 1. User-friendn francisties

- PICS data format
- Multiple options for validation/entry of supplier data
- 2. Extensive data field locations & functionality
  - 350 fields accommodates full attribute and full packaging information
  - UNSPSC assignment tool
  - Kit capabilities
  - Multiple live URL's
  - Import and export exception reporting
- 3. Capability for multiple exports
- 4. Automated updates Data Import Tool (DIT)

#### MasterDepot® Capabilities



#### **Screen Shots**



Logout

? Help


Feedback

PRODUCT


COMPANY

TRADING PARTNERS

REPORTS









Logout Help

PRODUCT

COMPANY

TRADING PARTNERS

REPORTS

Feedback

**Product Information** 

General

Extended

Order

Package

Price

Kits

**Buyer Part** 

Search

Catalog Number 🔻

SEARCH

**✓ EDIT** 

3M Test

Description: TRANSPORE TAPE 1" 12RLS/BX 10BX/CS

Catalog #: 1527-1

Com

**Manufacturer's Web** page for this product can be accessed with one click

50707387065954

Extended Description:

Surgical tape, clear, porous, plastic hypoallergenic tape - standard roll, 1 inch x 10 yard (2,5cm x 9,14m). This preferred plastic tape is transparent perforated polyethylene film with bi-directional tear, strong adhesion.

**Product URL:** 

http://products.3m.com/us/fiealthcare/products/healthcare-medical.jhtml?

powurl=GSLGVTVZFJitGSPXKRQCK6geGST1T4S9TCgvGSNPRTCJ1TglGSVCL8382Tbl\_LGusenglish

Velocity Code: B

Kit Type:

Price Group 1: 101 Product Category:

Price Group 2: 101S

**OEM Name:** 

Price Group 3:


OEM Catalog #:

**OEM Product URL:** 

Base Item Number: 1527

#### Tape Application


- Tape should be applied without tension to clean, dry skin.
- A clipper may be used to remove hair, if necessary.
- To protect at-risk skin, 3M<sup>™</sup> Cavilon<sup>™</sup> No Sting Barrier Film may be applied and when thoroughly dry, tape may be applied over it.
- In general, do not encircle a limb completely with tape.
- If distention is anticipated, use a tape that stretches or a self-adherent wrap to secure the dressing or tubing.





#### A. General taping

Apply the tape without tension, gently but firmly stroking the surface to maximize adhesion. Tape should extend at least one-half inch beyond the dressing. Tape should not be pulled or stretched when applied. If swelling does occur, loosen and re-fasten or replace tape to relieve the tension.













? Help

**B** Logout

Feedback

PRODUCT

COMPANY

TRADING PARTNERS

REPORTS

**Trading Partner** 

contact and

processing info

**Trading Partner Information** 

Partner Info

Contacts

uthorized Catalog

**Activity Log** 

Country: United States

Email:

Price Type X Ref

Napa

Partner Name: NAPA Auto Parts Stores

Reference Name: Napa

**Alternate Name:** 

DUNS(+4): 123456789

Address 1: 1234 Auto Parts Way

Address 2:

City: Atlanta

State: Georgia

Zip/Postal Code: 30339

Telephone:

URL: http://www.napaonline.com

Allow items without prices:


Only export items with buyer part numbers:


Product Filter: All Products Control Number: Export Type: Last Export Date:

Created: Updated:


Additional Identifiers

#### **User-Friendly Front End**






## Data Import Tool (DIT)



The Data Import Tool will guide you through the mapping process.

Select the Import Type, File Type and Update Method.

# Import Type C Product Line Information C Product Subline Information C Product Information C Extended Product Information C Packaging Information C Pricing Information C Attribute Information C Kit Information C Buyer Part Information




Indicate Source File location below:

\\Prf\_net\_fs\CustomerService\Data Analysis\DSCP\_0503\Imports\CARD\_2340\_Data.mdb



Drag-and-drop the field headings from the upper left to the appropriate columns of your source data below.

A red icon indicates a required field that must be mapped before clicking "Next".



Source File Sample Data:



#### **Profile Summary**

- Experience/success in other industries
- User friendly front-end gathering tools
- Robust MasterDepot® repository
- Full capabilities for multiple exports
- Ease and accuracy of automated updates
- Experience with DoD data files
- Contribute today to PDU initiative...

#### **Questions?**

#### Thank You?